

Use of bioelectrical impedance in Sri Lankan children: comparison of several prediction equations V.P. WICKRAMASINGHE, S.P. LAMABADUSURIYA, G.J. CLEGHORN and P.S.W. DAVIES	1
Body composition and fat distribution in non-Hispanic white and Hispanic pre-adolescents J.F. NICHOLS, V. IRVIN, K. SCHMITZ and M.H. HOVELL	9
The effect of different body positions on anthropometric measurements and derived estimates of body composition G. CARIN-LEVY, C.A. GREIG, S.J. LEWIS, A. STEWART, A. YOUNG and G.E. MEAD	17
Comparison of body fat assessments performed using the Norland XR36 and the Hologic Discovery W dual energy x-ray absorptiometry (DXA) instruments C.C. CLAUDIO, B. KAHN and S.A. LEAR	21
Effect of aerobic exercise on percent body fat using leg-to-leg and segmental bioelectrical impedance analysis in adults. C.B. DIXON, J.L. ANDREACCI and C. LEDEZMA	27
Reproducibility of volumetric adipose tissue measurements using magnetic resonance imaging J. CULLINGWORTH, P.A. HUTCHINSON, J.D. BIGLANDS, J.G. TRUSCOTT, J.P. RIDGWAY and D. RADLEY	35